



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/681,244	10/09/2003	Howard A. Baumer	1875.4430000	7513

26111 7590 06/01/2007  
STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.  
1100 NEW YORK AVENUE, N.W.  
WASHINGTON, DC 20005

EXAMINER

GANDHI, DIPAKKUMAR B

ART UNIT	PAPER NUMBER
----------	--------------

2117

MAIL DATE	DELIVERY MODE
-----------	---------------

06/01/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

**Office Action Summary**

Application No.

10/681,244

Applicant(s)

BAUMER ET AL.

Examiner

Dipakkumar Gandhi

Art Unit

2117

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 05 March 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-53 is/are pending in the application.
- 4a) Of the above claim(s) 38-40 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-37 and 41-53 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 09 October 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

Art Unit: 2117

***Response to Amendment***

1. Applicants' request for reconsideration filed on 03/05/2007 has been reviewed.
2. Amendment filed on 03/05/2007 including amended claims has been entered.
3. Applicant's arguments have been considered but are moot in view of the new ground(s) of rejection.

***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

6. Claim 1, 13-18, 23, 24, 35-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pierson (US 2003/0048781 A1) in view of Butler et al. (US 6,438,717 B1) and Rich, III (US 4,967,201). As per claim 1, Pierson teaches an integrated packet bit error rate tester comprising: an interface for programming the packet transmit circuit and the packet receive circuit, wherein the packet transmit circuit generates an arbitrary packet pattern in response to a command from the interface; and wherein the packet receive circuit determines a bit error rate of the channel under test (fig. 4, fig. 7, page 6, paragraph 73, page 10-11, paragraph 128, page 11, paragraph 129, 131, 132, page 12, paragraph 143, 144, Pierson).

However Pierson does not explicitly teach the specific use of a packet transmit circuit including a first memory for storing transmit bit error rate test packet data, wherein the packet transmit circuit is coupled to

Art Unit: 2117

a channel under test; a packet receive circuit including a second memory for storing received packet compare data and coupled to the channel under test.

Butler et al. in an analogous art teach testing in the actual normal operational mode (col. 2, lines 26-27, Butler et al.). Butler et al. also teach that the interface control block 3...highest bit error rates inactive (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.). Butler et al. also teach that FIG. 3 illustrates...respective register per channel are read (fig. 3, col. 3, line 39 to col. 4, line 13, Butler et al.).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Butler et al. by including an additional step of using a packet transmit circuit including a first memory for storing transmit bit error rate test packet data, wherein the packet transmit circuit is coupled to a channel under test; a packet receive circuit including a second memory for storing received packet compare data and coupled to the channel under test.

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that it would provide the opportunity to transmit the stored data and verify the stored received data during slow periods in data packet transmission and processing or when the card is running through self testing and diagnostics.

Pierson also does not explicitly teach the specific use of the transmit circuit and the receive circuit deposited on a substrate.

However Rich, III in an analogous art teaches that there has been provided a radar transmit/receive module comprising a single multi-layer substrate having at least two opposed mounting surfaces (col. 1, lines 60-62, Rich, III).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Rich, III by including an additional step of using the transmit and receive circuit deposited on a substrate.

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that using the transmit and receive circuit deposited on a substrate would provide the opportunity to improve performance and cost.

- As per claim 13, Pierson, Butler et al. and Rich, III teach the additional limitations.

Art Unit: 2117

Pierson teaches that the arbitrary packet pattern is received from an external random access memory (page 11, paragraph 129, Pierson).

- As per claim 14, Pierson, Butler et al. and Rich, III teach the additional limitations.

Pierson teaches that the arbitrary packet pattern can be loaded into a random access memory for bit error rate testing (page 11, paragraph 129, Pierson).

- As per claim 15, Pierson, Butler et al. and Rich, III teach the additional limitations.

Butler et al. teach that the second memory captures the received packet compare data only after a pre-programmed pattern is lost (fig. 3, col. 3, line 39 to col. 4, line 13, Butler et al.).

- As per claim 16, Pierson, Butler et al. and Rich, III teach the additional limitations.

Butler et al. teach that the second memory captures the received packet compare data only after an error is detected (fig. 3, col. 3, line 39 to col. 4, line 13, Butler et al.).

- As per claim 17, Pierson, Butler et al. and Rich, III teach the additional limitations.

Butler et al. teach that the second memory captures the received packet compare data continuously (fig. 3, col. 3, line 39 to col. 4, line 13, Butler et al.).

- As per claim 18, Pierson, Butler et al. and Rich, III teach the additional limitations.

Butler et al. teach that a finite state machine for controlling the capture of the received packet compare data (comparison and control 34 in fig. 3, col. 3, line 39 to col. 4, line 13, Butler et al.).

- As per claim 23, Pierson, Butler et al. and Rich, III teach the additional limitations.

Butler et al. teach that the arbitrary packet pattern is a ten gigahertz serializer / deserializer packet (col. 2, lines 53-60, Butler et al.).

- As per claim 24, Pierson, Butler et al. and Rich, III teach the additional limitations.

Pierson teaches an integrated packet bit error rate tester, comprising: an interface for programming the packet transmit circuit and the packet receive circuit, and wherein the packet receive circuit determines a bit error rate of the channel under test based on the transmit packet data compared to the receive packet data (fig. 4, fig. 7, page 6, paragraph 73, page 10-11, paragraph 128, page 11, paragraph 129, 131, 132, page 12, paragraph 143, 144, Pierson).

Art Unit: 2117

Butler et al. teach a packet transmit circuit including a first memory for storing transmit bit error rate test packet data, wherein the packet transmit circuit is coupled to a channel under test; a packet receive circuit including a second memory for capturing received packet compare data from the channel under test; wherein the packet transmit circuit generates an arbitrary serializer / deserializer (SERDES) packet pattern in response to a command from the interface (fig. 1, 3, col. 2, line 53 to col. 3, line 16, col. 3, line 39 to col. 4, line 13, Butler et al.).

Rich, III teach the transmit circuit and the receive circuit deposited on a substrate (col. 1, lines 60-62, Rich, III).

- As per claim 35, Pierson, Butler et al. and Rich, III teach the additional limitations.

Butler et al. teach that the second memory captures the received packet data only after a pre-programmed pattern is lost (fig. 3, col. 3, line 39 to col. 4, line 13, Butler et al.).

- As per claim 36, Pierson, Butler et al. and Rich, III teach the additional limitations.

Butler et al. teach that the second memory captures the received packet data only after an error is detected (fig. 3, col. 3, line 39 to col. 4, line 13, Butler et al.).

- As per claim 37, Pierson, Butler et al. and Rich, III teach the additional limitations.

Butler et al. teach that the second memory captures the received packet data continuously (fig. 3, col. 3, line 39 to col. 4, line 13, Butler et al.).

7. Claims 2-3, 29-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pierson (US 2003/0048781 A1), Butler et al. (US 6,438,717 B1) and Rich, III (US 4,967,201) as applied to claim 1, 24 above, and further in view of Hillman et al. (US 6,140,956).

As per claim 2, Pierson, Butler et al. and Rich, III substantially teach the claimed invention described in claim 1 (as rejected above).

However Pierson, Butler et al. and Rich, III do not explicitly teach specifically that the packet transmit circuit includes a first pseudo-random number generator for generating the arbitrary packet pattern.

Hillman et al. in an analogous art teach that the data in the data packet is randomized before transmission by using a pseudo-random code sequence. The pseudo random code is generated by a pseudo-random number generator from a seed value (col. 15, lines 29-32, Hillman et al.).

Art Unit: 2117

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Hillman et al. by including an additional step of using the packet transmit circuit that includes a first pseudo-random number generator for generating the arbitrary packet pattern.

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that it would provide the opportunity to transmit random data pattern for testing.

- As per claim 3, Pierson, Butler et al., Rich, III and Hillman et al. teach the additional limitations. Hillman et al. teach that the packet receive circuit includes a second pseudo-random number generator for generating the same arbitrary packet pattern that is generated by the first pseudo-random number generator (col. 15, lines 35-41, Hillman et al.).

- As per claim 29, Pierson, Butler et al., Rich, III and Hillman et al. teach the additional limitations. Hillman et al. teach that the packet transmit circuit includes a first pseudo-random number generator (col. 15, lines 29-32, Hillman et al.).

Butler et al. teach generating the arbitrary SERDES packet pattern (col. 2, lines 53-60, Butler et al.).

- As per claim 30, Pierson, Butler et al., Rich, III and Hillman et al. teach the additional limitations. Hillman et al. teach that the packet receive circuit includes a second pseudo-random number generator for generating the same packet pattern that is generated by the first pseudo-random number generator (col. 15, lines 35-41, Hillman et al.).

Butler et al. teach generating the arbitrary SERDES packet pattern (col. 2, lines 53-60, Butler et al.).

8. Claims 4-5, 19-22, 25-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pierson (US 2003/0048781 A1), Butler et al. (US 6,438,717 B1) and Rich, III (US 4,967,201) as applied to claim 1 above, and further in view of Morikawa (US 2002/0054569 A1).

As per claim 4, Pierson, Butler et al. and Rich, III substantially teach the claimed invention described in claim 1 (as rejected above). Pierson also teaches packet transmit circuit and bit error rate testing (page 11, paragraph 129, Pierson).

Art Unit: 2117

However Pierson, Butler et al. and Rich, III do not explicitly teach specific use of a byte counter for counting a number of bytes transmitted.

Morikawa in an analogous art teaches transmitted byte counter (fig. 1B, page 6, paragraph 92, Morikawa).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Morikawa by including an additional step of using a byte counter for counting the number of bytes transmitted.

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that using a byte counter for counting the number of bytes transmitted would provide the opportunity to compare the number of bytes transmitted with the number of bytes received and determine transmission error for number of bytes lost.

- As per claim 5, Pierson, Butler et al., Rich, III and Morikawa teach the additional limitations.

Pierson teaches packet transmit circuit and bit error rate testing (page 11, paragraph 129, Pierson).

Morikawa teach a packet counter for counting a number of packets transmitted (page 3, paragraph 46, Morikawa).

- As per claim 19, Pierson, Butler et al., Rich, III and Morikawa teach the additional limitations.

Butler et al. teach the packet receive circuit (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.).

Morikawa teach a byte counter for counting a total number of bytes received (page 6, paragraph 92, Morikawa).

- As per claim 20, Pierson, Butler et al., Rich, III and Morikawa teach the additional limitations.

Butler et al. teach the packet receive circuit (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.).

Morikawa teach a packet counter for counting a total number of packets received (page 4, paragraph 61, Morikawa).

- As per claim 21, Pierson, Butler et al., Rich, III and Morikawa teach the additional limitations.

Butler et al. teach the packet transmit circuit (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.).

Morikawa teach a byte counter for counting a total number of bytes transmitted (page 6, paragraph 92, Morikawa).



Art Unit: 2117

- As per claim 22, Pierson, Butler et al., Rich, III and Morikawa teach the additional limitations.

Butler et al. teach the packet transmit circuit (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.).

Morikawa teach a packet counter for counting a total number of packets transmitted (page 3, paragraph 46, Morikawa).

- As per claim 25, Pierson, Butler et al., Rich, III and Morikawa teach the additional limitations.

Butler et al. teach the packet receive circuit (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.).

Morikawa teach a byte counter for counting a total number of bytes received (page 6, paragraph 92, Morikawa).

- As per claim 26, Pierson, Butler et al., Rich, III and Morikawa teach the additional limitations.

Butler et al. teach the packet receive circuit (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.).

Morikawa teach a packet counter for counting a total number of packets received (page 4, paragraph 61, Morikawa).

- As per claim 27, Pierson, Butler et al., Rich, III and Morikawa teach the additional limitations.

Butler et al. teach the packet transmit circuit (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.).

Morikawa teach a byte counter for counting a total number of bytes transmitted (page 6, paragraph 92, Morikawa).

- As per claim 28, Pierson, Butler et al., Rich, III and Morikawa teach the additional limitations.

Butler et al. teach the packet transmit circuit (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.).

Morikawa teach a packet counter for counting a total number of packets transmitted (page 3, paragraph 46, Morikawa).

9. Claims 6-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pierson (US 2003/0048781 A1), Butler et al. (US 6,438,717 B1) and Rich, III (US 4,967,201) as applied to claim 1 above, and further in view of Chen et al. (US 5,726,991).

As per claim 6, Pierson, Butler et al. and Rich, III substantially teach the claimed invention described in claim 1 (as rejected above). Butler et al. teach the packet receive circuit (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.).

Art Unit: 2117

However Pierson, Butler et al. and Rich, III do not explicitly teach specific use of a bit error counter for counting a number of bit errors detected during bit error rate testing.

Chen et al. in an analogous art teach that a counter means is coupled to the receiver for counting each generated bit error for establishing the bit error rate (col. 2, lines 11-13, Chen et al.).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Chen et al. by including an additional step of using a bit error counter for counting a number of bit errors detected during bit error rate testing.

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that using a bit error counter for counting a number of bit errors detected during bit error rate testing would provide the opportunity to detect data transmission errors.

- As per claim 7, Pierson, Butler et al., Rich, III and Chen et al. teach the additional limitations.

Butler et al. teach the packet receive circuit (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.).

Chen et al. teach a byte error counter for counting a number of bytes with at least one bit in error detected during bit error rate testing (col. 5, lines 13-15, Chen et al.).

10. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pierson (US 2003/0048781 A1), Butler et al. (US 6,438,717 B1) and Rich, III (US 4,967,201) as applied to claim 1 above, and further in view of Yu (US 2001/0012288 A1).

As per claim 8, Pierson, Butler et al. and Rich, III substantially teach the claimed invention described in claim 1 (as rejected above). Butler et al. also teach the packet receive circuit (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.). Pierson also teaches the bit error rate testing (page 11, paragraph 129, Pierson). However Pierson, Butler et al. and Rich, III do not explicitly teach specific use of a packet error counter for counting a number of packets with at least one byte in error detected.

Yu in an analogous art teaches packet error counter (page 13, paragraph 194, Yu) and the IOSL device that contains an 8-bit FIFO counter that counts every packet affected by a FIFO error event (page 13, paragraph 192, Yu).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Yu by including an additional step of using a packet error counter for counting a number of packets with at least one byte in error detected.

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that using a packet error counter for counting a number of packets with at least one byte in error detected would provide the opportunity to detect data transmission errors.

11. Claims 9-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pierson (US 2003/0048781 A1), Butler et al. (US 6,438,717 B1) and Rich, III (US 4,967,201) as applied to claim 1 above, and further in view of Mejia et al. (US 2003/0009307 A1).

As per claim 9, Pierson, Butler et al. and Rich, III substantially teach the claimed invention described in claim 1 (as rejected above). Pierson also teaches the integrated packet bit error rate tester (page 11, paragraph 129, Pierson). Butler et al. teach the second memory that captures the received packet compare data (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.).

However Pierson, Butler et al. and Rich, III do not explicitly teach specific use of detecting a pre-programmed pattern.

Mejia et al. in an analogous art teach a programmable signal generating mechanism (page 2, paragraph 25, Mejia et al.) and most test instruments expect the same test pattern back that it sent (page 3, paragraph 41, Mejia et al.).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Mejia et al. by including an additional step of detecting a pre-programmed pattern.

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that detecting a pre-programmed pattern would provide the opportunity to compare the received pattern with the transmitted pattern to determine data transmission errors.

- As per claim 10, Pierson, Butler et al., Rich, III and Mejia et al. teach the additional limitations.

Art Unit: 2117

Mejia et al. teach that the pre-programmed pattern includes a fixed pattern (page 3, paragraph 41, Mejia et al.).

- As per claim 11, Pierson, Butler et al., Rich, III and Mejia et al. teach the additional limitations.

Mejia et al. teach that the pre-programmed pattern includes a programmable pattern (page 2, paragraph 25, Mejia et al.).

- As per claim 12, Pierson, Butler et al., Rich, III and Mejia et al. teach the additional limitations.

Butler et al. teach that the pre-programmed pattern includes a cyclic redundancy check pattern (col. 3, lines 3-7, lines 29-30, Butler et al.).

12. Claims 31-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pierson (US 2003/0048781 A1), Butler et al. (US 6,438,717 B1), Rich, III (US 4,967,201) and Hillman et al. (US 6,140,956) as applied to claim 29 above, and further in view of Mejia et al. (US 2003/0009307 A1).

As per claim 31, Pierson, Butler et al., Rich, III and Hillman et al. substantially teach the claimed invention described in claim 29 (as rejected above). Pierson also teaches the integrated packet bit error rate tester (page 11, paragraph 129, Pierson). Butler et al. also teach the second memory that captures the received packet data (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.).

However Pierson, Butler et al., Rich, III and Hillman et al. do not explicitly teach specific use of detecting a pre-programmed pattern.

Mejia et al. in an analogous art teach detecting a pre-programmed pattern (page 2, paragraph 25, page 3, paragraph 41, Mejia et al.).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Mejia et al. by including an additional step of detecting a pre-programmed pattern.

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that detecting a pre-programmed pattern would provide the opportunity to compare the received pattern with the transmitted pattern to determine data transmission errors.

Art Unit: 2117

- As per claim 32, Pierson, Butler et al., Rich, III, Hillman et al. and Mejia et al. teach the additional limitations.

Mejia et al. teach that the pre-programmed pattern includes a fixed pattern (page 3, paragraph 41, Mejia et al.).

- As per claim 33, Pierson, Butler et al., Rich, III, Hillman et al. and Mejia et al. teach the additional limitations.

Mejia et al. teach that the pre-programmed pattern includes a programmable pattern (page 2, paragraph 25, Mejia et al.).

- As per claim 34, Pierson, Butler et al., Rich, III, Hillman et al. and Mejia et al. teach the additional limitations.

Butler et al. teach that the pre-programmed pattern includes a cyclic redundancy check pattern (col. 3, lines 3-7, lines 29-30, Butler et al.).

13. Claims 41, 42, 44, 51 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pierson (US 2003/0048781 A1) in view of Butler et al. (US 6,438,717 B1), Ghuman et al. (US 6,081,570) and Rich, III (US 4,967,201).

As per claim 41, Pierson teaches a method of testing a bit error rate of a channel coupled to a transmitter memory comprising: generating a test packet; determining the bit error rate of the channel based on the received test packet (fig. 4, fig. 7, page 6, paragraph 73, page 10-11, paragraph 128, page 11, paragraph 129, 131, 132, page 12, paragraph 143, 144, Pierson).

However Pierson does not explicitly teach the specific use of loading the test packet into the transmitter memory; transmitting the test packet from the transmitter memory over the channel; capturing a received test packet from the channel.

Butler et al. in an analogous art teach testing in the actual normal operational mode (col. 2, lines 26-27, Butler et al.). Butler et al. teach the interface control block 3...highest bit error rates inactive (fig. 1, col. 2, line 53 to col. 3, line 16, Butler et al.). Butler et al. also teach that FIG. 3 illustrates...respective register per channel are read (fig. 3, col. 3, line 39 to col. 4, line 13, Butler et al.).

Art Unit: 2117

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Butler et al. by including an additional step of loading the test packet into the transmitter memory; transmitting the test packet from the transmitter memory over the channel; capturing a received test packet from the channel.

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that it would provide the opportunity to transmit the stored data and verify the stored received data during slow periods in data packet transmission and processing or when the card is running through self testing and diagnostics.

Pierson also does not explicitly teach the specific use of generating a test packet including an arbitrary marker pattern.

However Ghuman et al. in an analogous art teach a parallel correlation subsystem...error tolerance (col. 19, lines 9-19, Ghuman et al.). Ghuman et al. also teach sync marker bit pattern...serial data stream (col. 19, lines 31-34, Ghuman et al.).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Ghuman et al. by including an additional step of generating a test packet including an arbitrary marker pattern.

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that it would provide the opportunity to determine data transmission error of a channel.

Pierson also does not explicitly teach the specific use of a transmitter deposited on a substrate and a receiver deposited on the substrate.

However Rich, III in an analogous art teaches that there has been provided a radar transmit/receive module comprising a single multi-layer substrate having at least two opposed mounting surfaces (col. 1, lines 60-62, Rich, III).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Rich, III by including an additional step of using a transmitter deposited on a substrate and a receiver deposited on the substrate.

Art Unit: 2117

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that it would provide the opportunity to improve performance and cost.

- As per claim 42, Pierson, Butler et al., Rich, III and Ghuman et al. teach the additional limitations.

Butler et al. teach an arbitrary ten gigahertz serializer / deserializer (10G SERDES) packet pattern (col. 2, lines 53-65, Butler et al.).

Pierson teaches generating packet pattern (pages 10-11, paragraph 128, Pierson).

- As per claim 44, Pierson, Butler et al., Rich, III and Ghuman et al. teach the additional limitations.

Butler et al. teach an arbitrary 10G SERDES packet pattern (col. 2, lines 53-65, Butler et al.).

Pierson teaches programming the arbitrary packet pattern through a management data input/output interface (pages 10-11, paragraph 128, Pierson).

- As per claim 51, Pierson, Butler et al., Rich, III and Ghuman et al. teach the additional limitations.

Pierson teaches determining a bit error rate of the channel under test (page 11, paragraph 129, Pierson).

14. Claims 43, 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pierson (US 2003/0048781 A1), Butler et al. (US 6,438,717 B1), Rich, III (US 4,967,201) and Ghuman et al. (US 6,081,570) as applied to claim 42 above, and further in view of Hillman et al. (US 6,140,956).

As per claim 43, Pierson, Butler et al., Rich, III and Ghuman et al. substantially teach the claimed invention described in claim 42 (as rejected above). Pierson teaches generating packet pattern (pages 10-11, paragraph 128, Pierson). Butler et al. also teach an arbitrary 10G SERDES packet pattern (col. 2, lines 53-65, Butler et al.).

However Pierson, Butler et al., Rich, III and Ghuman et al. do not explicitly teach the specific use of a first pseudo-random number generator.

Hillman et al. teach a pseudo-random number generator (col. 15, lines 29-32, Hillman et al.).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Hillman et al. by including an additional step of using a first pseudo-random number generator.

Art Unit: 2117

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that using a first pseudo-random number generator would provide the opportunity to generate arbitrary test patterns.

- As per claim 45, Pierson, Butler et al., Rich, III, Ghuman et al. and Hillman et al. teach the additional limitations.

Butler et al. teach an arbitrary 10G SERDES packet pattern (col. 2, lines 53-65, Butler et al.).

Pierson teaches generating packet pattern (pages 10-11, paragraph 128, Pierson).

Hillman et al. teach generating the same arbitrary packet pattern using a second pseudo-random number generator as the packet pattern generated by the first pseudo-random number generator (col. 15, lines 35-41, Hillman et al.).

15. Claims 46, 47, 52, 53 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pierson (US 2003/0048781 A1), Butler et al. (US 6,438,717 B1), Rich, III (US 4,967,201) and Ghuman et al. (US 6,081,570) as applied to claim 41 above, and further in view of Morikawa (US 2002/0054569 A1).

As per claim 46, Pierson, Butler et al., Rich, III and Ghuman et al. substantially teach the claimed invention described in claim 41 (as rejected above). Pierson also teaches the bit error rate testing (page 11, paragraph 129, Pierson).

However Pierson, Butler et al., Rich, III and Ghuman et al. do not explicitly teach the specific use of counting a number of bytes received.

Morikawa in an analogous art teaches counting a number of bytes received (page 6, paragraph 92, Morikawa).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Morikawa by including an additional step of counting a number of bytes received.

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that counting a number of bytes received would provide the opportunity to determine data error in data transmission.



Art Unit: 2117

- As per claim 47, Pierson, Butler et al., Rich, III, Ghuman et al. and Morikawa teach the additional limitations.

Morikawa teach a number of packets received (page 4, paragraph 61, Morikawa).

Pierson teaches the bit error rate testing (page 11, paragraph 129, Pierson).

- As per claim 52, Pierson, Butler et al., Rich, III, Ghuman et al. and Morikawa teach the additional limitations.

Morikawa teach counting a number of packets transmitted over the channel (page 3, paragraph 46, Morikawa).

- As per claim 53, Pierson, Butler et al., Rich, III, Ghuman et al. and Morikawa teach the additional limitations.

Morikawa teach counting a number of bytes transmitted over the channel (fig. 1B, page 6, paragraph 92, Morikawa).

16. Claims 48-49 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pierson (US 2003/0048781 A1), Butler et al. (US 6,438,717 B1), Rich, III (US 4,967,201) and Ghuman et al. (US 6,081,570) as applied to claim 41 above, and further in view of Chen et al. (US 5,726,991).

As per claim 48, Pierson, Butler et al., Rich, III and Ghuman et al. substantially teach the claimed invention described in claim 41 (as rejected above).

However Pierson, Butler et al., Rich, III and Ghuman et al. do not explicitly teach the specific use of counting a number of bit errors detected during the bit error rate testing.

Chen et al. teach counting a number of bit errors detected during the bit error rate testing (col. 2, lines 11-13, Chen et al.).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Chen et al. by including an additional step of counting a number of bit errors detected during the bit error rate testing.

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that counting a number of bit errors

Art Unit: 2117

detected during the bit error rate testing would provide the opportunity to determine bit error in data transmission and quality of the data transmission channel.

- As per claim 49, Pierson, Butler et al., Rich, III, Ghuman et al. and Chen et al. teach the additional limitations.

Chen et al. teach counting a number of bytes with errors detected during the bit error rate testing (col. 5, lines 13-15, Chen et al.).

17. Claim 50 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pierson (US 2003/0048781 A1), Butler et al. (US 6,438,717 B1), Rich, III (US 4,967,201) and Ghuman et al. (US 6,081,570) as applied to claim 41 above, and further in view of Yu (US 2001/0012288 A1).

As per claim 50, Pierson, Butler et al., Rich, III and Ghuman et al. substantially teach the claimed invention described in claim 41 (as rejected above). Pierson also teaches the bit error rate testing (page 11, paragraph 129, Pierson).

However Pierson, Butler et al., Rich, III and Ghuman et al. do not explicitly teach the specific use of counting a number of packets with a byte in error detected.

Yu teaches counting a number of packets with a byte in error detected (page 13, paragraph 192, 194, Yu).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Pierson's patent with the teachings of Yu by including an additional step of counting a number of packets with a byte in error detected.

This modification would have been obvious to one of ordinary skill in the art, at the time the invention was made, because one of ordinary skill in the art would have recognized that counting a number of packets with a byte in error detected would provide the opportunity to determine data error in data transmission.

### ***Conclusion***

18. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2117

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2117

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dipakkumar Gandhi whose telephone number is 571-272-3822. The examiner can normally be reached on 8:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jacques Louis-Jacques can be reached on (571) 272-6962. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Dipakkumar Gandhi  
Patent Examiner



GUY LAMARRE  
PRIMARY EXAMINER